



**ARKANSAS DEPARTMENT OF HEALTH
AUTHORIZED
ONSITE WASTEWATER
PRODUCTS LIST**

**ARKANSAS DEPARTMENT OF HEALTH
AUTHORIZED
ONSITE WASTEWATER
PRODUCTS LIST**

TABLE OF CONTENTS

<u>AEROBIC BIOLOGICAL GENERATORS</u>	<u>3</u>
<u>COMPOSTING TOILETS</u>	<u>3</u>
<u>DISTRIBUTION BOXES</u>	<u>4</u>
<u>DIVERSION DEVICES</u>	<u>4</u>
<u>DOSING SIPHONS</u>	<u>4</u>
<u>DRIP DISPERSAL TUBING</u>	<u>4</u>
<u>EFFLUENT FILTERS</u>	<u>4</u>
<u>EFFLUENT FILTERS (PRESSURE)</u>	<u>5</u>
<u>EFFLUENT FLOW CONTROL DEVICES</u>	<u>5</u>
<u>HOLDING TANKS</u>	<u>5</u>
<u>INLET AND OUTLET SEALS</u>	<u>6</u>
<u>PUMP TANKS</u>	<u>6</u>
<u>PUMP BASINS</u>	<u>6</u>
<u>PUMP VAULTS</u>	<u>6</u>
<u>SEPTIC TANKS (FIBERGLASS)</u>	<u>7</u>
<u>SEPTIC TANKS (PLASTIC)</u>	<u>8</u>
<u>TRENCH MEDIA - GRAVEL SUBSTITUTES</u>	<u>8</u>
<u>WASTEWATER DISINFECTION PRODUCTS</u>	<u>11</u>
<u>WASTEWATER DISINFECTION UNITS</u>	<u>11</u>
<u>WASTEWATER TREATMENT UNITS</u>	<u>11</u>

**ARKANSAS DEPARTMENT OF HEALTH
 AUTHORIZED
 ONSITE WASTEWATER
 PRODUCTS LIST**

This is a listing of products authorized for use with standard, alternate, and experimental sewage disposal systems that are in addition to the products listed in the *Rules and Regulations Pertaining to Onsite Wastewater Systems*. All products shall be installed in accordance with manufacturers' directions.

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
AEROBIC BIOLOGICAL GENERATORS	AQUA TEST 800-221-3159 BIO-MICROBICS 800-753-3278 INFILTRATOR SYSTEMS, INC. 800-221-4436 KNIGHT TREATMENT SYSTEMS 800-560-2454 SLUDGE HAMMER 800-426-3349	Nibbler Models 1 CPB & 2 CPB High Strength FAST / commercial applications for effluent pre-treatment Retro FAST / renovation / enhancement of residential sewage systems Aquaworx Aerobic Biological Generator (Replaceable bacteria pack available) White Knight Aerobic Biological Generator. Replaceable bacteria pack available Sludge Hammer Models 46 & 86
COMPOSTING TOILETS	CLIVUS MULTRUM, INC. 508-794-1700 SUN MAR CORP. 416-332-1314	Composting toilets are for human body wastes only. All other liquid wastes must be disposed of by a method and in a manner approved by the Arkansas Department of Health.

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
DISTRIBUTION BOXES (D-Boxes) *Leveling devices available	AMERICAN MANUFACTURING COMPANY, INC. 800-345-3132 CLARUS ENVIRONMENTAL 501-513-4751 INFILTRATOR SYSTEMS, INC. 800-221-4436 POLYLOK 888-765-9565 TUFF-TITE 800-382-7009	* 4-8 hole polyethylene D-boxes Model Tru-Flow 173-0001 / 5 outlet polyethylene D-box / can be re-leveled easily after installation * 4 hole polyethylene D-boxes * Model 3017-12 (4 Hole) * Model 3017 -20 (7 Hole) * 4-8 hole polyethylene D-boxes
DIVERSION DEVICES	AMERICAN MANUFACTURING COMPANY, INC. 800-345-3132 QUANICS, INC. 877-782-6427	4 inch, PVC, two position Bull Run Valve supplied with direction control handle / water-tight GDS-ZS-300 D Flow Director / PVC, tee style construction / comes with direction control handle
DOSING SIPHONS	ORENCO SYSTEMS, INC. 800-348-9843	2 & 3 inch siphons for residential / commercial sizes available
DRIP DISPERSAL TUBING Note: All drip systems must be installed according to the procedures and specifications outlined in the current Rules & Regulations.	GEO-FLOW 800-828-3388 NETAFIM 610-222-9989	All drip tubing must use pressure- compensating emitters. All drip tubing must use pressure- compensating emitters.
EFFLUENT FILTERS	BOWCO 800-232-9991 CLARUS ENVIRONMENTAL 800-928-7867 NORWECO, INC. 419-668-4471	EF-235 Model WW4 P/N 5000-007 / up to 4000 gpm, WW1 P/N 170-0078 BK 2000 Bio-Kinetic Wastewater Management System (includes an effluent filter and a disinfection unit)

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
EFFLUENT FILTERS (CONTINUED)	<p>ORENCO SYSTEMS, INC. 800-348-9843</p> <p>POLYLOK, INC. 888-765-9565</p> <p>TUF-TITE, INC. 800-382-7009</p> <p>ZABEL, INC. / POLYLOK, INC. 800-221-5742</p>	<p>Biotube Effluent Filter. 4, 6, & 8 inch diameters for residential & small commercial applications.</p> <p>PL-122 Must attach to sch. 40 outlet pipe (not to tank wall)</p> <p>PL-68/fits into existing Sch. 40 outlet baffle</p> <p>PL-525 Septic Tank Effluent, PL-625 Grease Trap Effluent</p> <p>Model EF-4, Model EF-6/only use in tanks with 36-39 inch liquid depth, Model P/N 170-0078</p> <p>Models: A100-10X16, A100-10X30, A300-10X20, A300-10X30, A1800-4X18, A1800-4X22, A100-8X12, A100-8X18, A100-8X26, A100-8X32, A300-8X12, A300-8X18, A300-8X26, A300-8X32</p>
EFFLUENT FILTERS (PRESSURE)	<p>GAG SIM-TECH 888-999-3290</p> <p>POLYLOK, INC. 888-765-9565</p> <p>QUANICS, INC. 877-782-6427</p>	<p>STF-100 Series - For use with pumped (dosed) systems / installed downstream from pump in the dose chamber.</p> <p>Models 3014 PF & 3014 PFP / one micron filter sock available</p> <p>PDS-PF-1.5 & PDS-PF-2.0 / For use with pumped (dosed) systems / installed downstream from pump in the dose chamber</p>
EFFLUENT FLOW CONTROL DEVICES	<p>QUANICS, INC. 877-782-6427</p> <p>UNITED CONCRETE PRODUCTS / POLYLOK 203-269-3119</p>	<p>GDS-ZS-300 Flow Divider (divides effluent flow into two equal flows)</p> <p>Dipper box / 4 or 6 outlets</p>
HOLDING TANKS (PLASTIC)	NORWESCO, INC. 800-328-3420	Low Profile 1000, 1250, 1500 gallon

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>INLET AND OUTLET SEALS FOR SEPTIC TANKS, DOSE TANKS, and DISTRIBUTION BOXES</p> <p>NOTE: Seals to be cast in concrete septic tanks during manufacture.</p> <p>All seals used with septic tanks & dose chambers must pass the ASTM 923 water tightness test.</p> <p>Seals not passing this test may be used in “no pressure” applications such as distribution boxes.</p> <p>* Designed to pass ASTM 923 watertight test</p>	<p>POLYLOK, INC. 888-765-9565</p> <p>PRESS-SEAL GASKET CORPORATION 800-348-7325</p> <p>TUF-TITE, INC. 800-382-7009</p>	<p>POLYLOK I – Black / Not designed to pass ASTM 923 water-tight test</p> <p>* POLYLOK II – Red</p> <p>* POLYLOK III – High pressure seal</p> <p>* POLYLOK IV – Rubber Boot Seal</p> <p>CAST-A-SEAL 402, 402F, 964</p> <p>* TS-4PRO, TS-4, TS-402 – Rubber Boot Seal</p> <p>* TS-RB4 – Rubber Boot Seal</p> <p>TS-4NW - Not designed to pass ASTM 923 water-tight test</p>
<p>PUMP BASINS</p>	<p>STEELE PLASTICS, INC. 501-327-5122</p>	<p>Filament Wound Straight Wall Fiberglass Basin</p>
<p>PUMP TANKS</p> <p>Note: All tanks to be installed in accordance with manufactures’ directions.</p>	<p>INFILTRATOR SYSTEMS INC. 800-221-4436</p> <p>NORWESCO, INC. 800-328-3420</p> <p>ROTH GLOBAL PLASTICS 866-943-7256</p> <p>SNYDER INDUSTRIES, INC. 870-358-3400</p>	<p>IM-1060, TW Series 300, 500, 600, 900, 1050, 1250, 1500 gallon, IM Series-540</p> <p>Bruiser heavy duty septic tank 1000, 1250, 1500 gallon</p> <p>Low Profile 750, 1000, 1250, 1500 gallon</p> <p>Rochester Rotational Molding 1000, 1250, 1500 gallon</p> <p>RMT 900, 100E</p> <p>1060, 1250, 1500 gallon heavy duty septic tank</p> <p>1050, 1250, 1500 gallon heavy duty septic tank</p>
<p>PUMP VAULTS</p>	<p>ADENUS 888-423-3687</p>	<p>Low volume pump vault ECV Models 43, 60, 72, & 96</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>PUMP VAULTS (CONTINUED)</p> <p>Note: Special use conditions apply including 250 gallon increase in septic tank size, 3 inch maximum draw-down, minimum of 3 feet from inlet baffle to vault, inlet of pump vault to fall between 35 to 45 percent of liquid level, and audio/visual alarm required.</p>	<p>CLARUS ENVIRONMENTAL 800-928-7867</p> <p>CONCENTRIC PUMP VAULTS 406-227-6792</p> <p>DELTA ENVIRONMENTAL 800-219-9183</p> <p>ORENCO, INC. 800-348-9843</p> <p>QUANICS, INC. 877-782-6427</p>	<p>Centrifugal STEP System, 5040 Series</p> <p>Turbine STEP System, 5041 Series</p> <p>BPF-8 12 FI</p> <p>DEPV-49-20-1 DEPV-57-20-1</p> <p>Biotube pump vault - PVU Series</p> <p>FPV-H-44-2 & FPV-H-A101 / May not be used in septic tanks where the inlet of the pump vault is less than 40% of the liquid depth</p>
<p>SEPTIC TANKS (FIBERGLASS)</p> <p>Note: All tanks to be installed in accordance with manufactures' directions and be supplied with inlet and outlet baffles.</p>	<p>ALPHA GENERAL SERVICES, INC. 863-382-1544</p> <p>ARKANSAS COMPOSITES INC. 501-796-8469</p> <p>CONTAINMENT SOLUTIONS 800-537-4730</p> <p>DESERT SUN 623-869-0907</p> <p>ORENCO, INC. 800-348-9843</p> <p>SOUTHERN MANUFACTURING 409-962-4501</p> <p>XERXES® ZCL, INC. 952-887-1890</p>	<p>1050, 1200, 1350, 1500, 1650, 2200, 2700, 3200, 3700, 4300, 4800, 5300, 5800 gallon</p> <p>250, 500, 1000, 1250, 1500, 2000, 3000, 4000, 5000 gallon</p> <p>Custom built up to 50,000 gallon</p> <p>1000, 1250, 1500, 1750, 2000 gallon</p> <p>Fiberglass tanks manufactured by Orenco Systems, Inc. in 500, 1000, 1500 and 2000 gallon sizes with or without baffle walls</p> <p>1000 gallon</p> <p>Custom built up to 62,000 gallon</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>SEPTIC TANKS (PLASTIC) Note: All tanks to be installed in accordance with manufactures' directions and supplied with inlet and outlet baffles.</p>	<p>A.K. INDUSTRIES 219-936-6022</p> <p>COON MANUFACTURING 800-843-1532</p> <p>DEN HARTOG INDUSTRIES 712-752-8432</p> <p>INFILTRATOR SYSTEMS, INC. 800-221-4436</p> <p>NORWESCO, INC. 800-328-3420</p> <p>ROTH GLOBAL PLASTICS 866-943-7256</p> <p>SNYDER INDUSTRIES, INC. 870-358-3400</p>	<p>1000, 1300 gallon</p> <p>1000, 1500 gallon</p> <p>AST-1000-2, 1000 gallon</p> <p>TW series polyethylene septic tanks 1050, 1250, 1500 gallon</p> <p>1000, 1250, 1500 gallon</p> <p>Bruiser heavy duty 1000, 1250, 1500 gallon / may be used as a holding tank</p> <p>Low Profile 1000, 1250, 1500 gallon</p> <p>Rochester Rotational Molding 1000, 1250, 1500 gallon</p> <p>1060, 1250, 1500 gallon heavy duty / may be used as holding tank</p> <p>1050, 1250, 1500 gallon</p> <p>1050, 1250, 1500 gallon / heavy duty / may be used as a holding tank</p>
<p>TRENCH MEDIA - GRAVEL SUBSTITUTES</p> <p>CHAMBERS</p> <p>Note: All gravel substitutes to be installed in accordance with manufactures' directions.</p>	<p>ADVANCED DRAINAGE SYSTEMS, INC. 800-733-9987</p> <p>CULTEC, INC. 800-428-5832</p>	<p>Bio-Diffuser 2 / use with Bio-Diffuser end caps only (18 inch max. trench width)</p> <p>ARC-18 / articulated for curved trenches / use with ARC-18 end caps only (18 inch max. trench width)</p> <p>ARC-24 / articulated for curved trenches / use with ARC-24 end caps only (24 inch max. trench width)</p> <p>Contactoer EZ- 24 / use with Contactoer end caps only (18 inch max. trench width)</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>TRENCH MEDIA, GRAVEL SUBSTITUTES</p> <p>CHAMBERS (CONTINUED)</p> <p>Note: All gravel substitutes to be installed in accordance with manufactures' directions.</p>	<p>INFILTRATOR SYSTEMS, INC. 1-800-221-4436</p>	<p>EQ-24 / use with Infiltrator end caps only (18 inch max. trench width)</p> <p>EQ-36 / use with infiltrator end caps only (24 inch max. trench width)</p> <p>Quick 4 EQ-24 / articulated for curved trenches / use with Infiltrator Quick 4 end caps only (18 inch max. trench width)</p> <p>Quick 4 EQ-24 Low Profile / articulated for curved trenches / use with Infiltrator Quick 4 end caps only (18 inch max. trench width)</p> <p>Quick 4 EQ-36 / articulated for curved trenches / use with Infiltrator Quick 4 end caps only (24 inch max. trench width)</p> <p>Quick 4 EQ-36 Low Profile / articulated for curved trenches / use with Infiltrator Quick 4 end caps only (18 inch max. trench width)</p>
<p>CORRUGATED GRAVEL-LESS PIPE</p>	<p>A.D.S. INC. / HANCOR 800-733-7473</p> <p>MULTI-PIPE 800-780-5121</p> <p>PLASTIC TUBING IND., INC. 800-780-5121</p> <p>PRINSCO, INC. 800-992-1725</p>	<p>8 inch diameter, corrugated, perforated, polyethylene pipe with soil fabric wrap / use with ADS fittings only (12 inch max. trench width)</p> <p>8 inch diameter, corrugated, perforated, polyethylene pipe with perforated, polyethylene pipe with soil fabric wrap / use with MPI fittings only (12 inch max. trench width)</p> <p>PTI MPS-9 only (24 inch max. trench width)</p> <p>8 inch diameter, corrugated, perforated, polyethylene pipe with perforated, polyethylene pipe with soil fabric wrap / use with PRINSCO fittings only (12 inch max. trench width)</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>TRENCH MEDIA, GRAVEL SUBSTITUTES</p> <p>CORRUGATED GRAVE-LESS PIPE (CONTINUED)</p>	<p>QUAIL PIPING PRODUCTS, INC. 888-919-7473</p> <p>SPRINGFIELD PLASTICS 800-252-3361</p>	<p>8 inch diameter, corrugated, perforated, polyethylene pipe with perforated, polyethylene pipe with soil fabric wrap, use with SDR-35 PVC fitting only (12 inch max. trench width)</p> <p>8 inch diameter, corrugated, perforated, polyethylene pipe with elastic soil fabric wrap / use with SPRINGFIELD PLASTICS fittings only (12 inch max. trench width)</p>
<p>POLYSTYRENE AGGREGATE</p>	<p>INFILTRATOR SYSTEMS, INC. 800-221-4436</p>	<p>Model # FTSG 141 H-1 & Model # FTSG 121 H-1 (18 inch max. trench width)</p> <p>Model # FTSG 122 H-1 & Model # FTSG 103 T-1 (24 inch max. trench width)</p> <p>Smart Rock Models SR-12P, SR-12H, SR3-10T</p> <p>EZ-1003T & EZ-1202 (24 inch max. trench width)</p> <p>EZ-1201 P (18 inch max. trench width)</p> <p>EZ-1201 P-GEO / factory installed geo-textile (18 inch max. trench width)</p>
<p>TIRE CHIPS (SHREDS)</p>	<p>DAVIS RUBBER COMPANY 501-374-1473</p> <p>EATON MOERY ENVIRONMENTAL 870-755-5331</p> <p>JEFFERSON COUNTY RECYCLING 870-541-5358</p> <p>WEST RIVER VALLEY REGIONAL SOLID WASTE MANAGEMENT DISTRICT 479-785-2651</p>	<p>NOTE: Specifications for tire chips used in soil absorption systems are:</p> <ul style="list-style-type: none"> ◆ Nominal 2-inch size (may range from ½ inch to a maximum of 4 inches in any one direction. ◆ Exposed wire may protrude no more than ½ inch from chip. ◆ At least 95% of chips by weight must comply with specifications. ◆ Fines (dust, dirt, grit, etc.) less than 2mm in size are prohibited.

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>WASTEWATER DISINFECTION PRODUCTS</p>	<p>Accu-Tab® Wastewater Calcium Hypochlorite Tablets PPG Industries 866-668-5280</p> <p>NORWECO, INC. NORWECO BIO SANITIZER NORWECO BLUE CRYSTAL 419-668-4471</p>	<p>2 ½ inch tablets / available in 10-lb, 27.5-lb, 43.5-lb, 100-lb sizes</p> <p>2 ¾ inch tablets / for flows over 1500 gpd</p>
<p>WASTEWATER DISINFECTION UNITS</p>	<p>EXCELTEC / SANURIL 800-621-9189</p> <p>JET, INC. 501-835-2451 (Kuykendall Co.)</p> <p>NORWECO, INC. 419-668-4471</p>	<p>Sanuril or Exceltec Model 200 / 2 ¾ inch tablet feed</p> <p>Jet-Chlor / 2 ¾ inch tablet feed</p> <p>Bio-Dynamic Series 1500 & 2000 / 2 ¾ inch tablet feed</p> <p>BK 2000 Bio-Kinetic Wastewater Management System (includes both an effluent filter and a disinfection unit)</p> <p>Bio-Dynamic LF 500</p>
<p>WASTEWATER TREATMENT UNITS FOR DOMESTIC WASTE</p> <p><u>SURFACE DISCHARGE</u></p> <p>Note: To be installed only by distributors licensed in Arkansas.</p>	<p>BIO-MICROBICS 800-753-3278</p> <p>CLEARSTREAM WASTEWATER SYSTEMS, INC. 800-586-3656</p> <p>CONSOLIDATED TREATMENT SYSTEMS, INC. 937-746-1446</p> <p>ECOLOGICAL TANK, INC. 877-247-7643</p> <p>ENVIROGUARD 800-503-0163</p> <p>JET, INC.</p>	<p>MicroFast ® 0.5 / with UV Disinfection and Post Aeration – Rated for 500 gpd</p> <p>Clearstream 500N+1100 Effluent Filter or a Post Aeration Tank – Rated for 500 gpd</p> <p>MultiFlo FTB-0.5 – Rated for 500 gpd Nyadic M6-A – Rated for 500 gpd</p> <p>AquaSafe 500 – Rated for 500 gpd</p> <p>ENV-0.75 – Rated for 750 gpd</p> <p>Jet BAT Media 1500 – Series Plants with Jet 952 UV Device and Jet 954 Re-Aeration Device</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>WASTEWATER TREATMENT UNITS FOR DOMESTIC WASTE</p> <p><u>SURFACE DISCHARGE</u></p> <p>Note: To be installed only by distributors licensed in Arkansas.</p>	<p>NORWECO, INC. 419-668-4471</p> <p>ORENCO SYSTEMS, INC. 800-348-9843</p>	<p>Norweco (Singluar) 960 – Rated for 500/1000 gpd Norweco (Singluar) TNT-500 – Rated for 500 gpd</p> <p>Advantex AX-20 & AX-20RT Synthetic media filter treats effluent from septic tank with effluent filter - Rated for 500 gpd</p>
<p>WASTEWATER TREATMENT UNITS FOR DOMESTIC WASTE</p> <p><u>SUBSURFACE DISPOSAL ONLY</u></p> <p>Note: To be installed only by distributors licensed in Arkansas.</p>	<p>ACQUIRED WASTEWATER TECHNOLOGIES 318-746-5122</p> <p>AERO-TECH 574-935-0908</p> <p>AQUAKLEAR 877-936-7711</p> <p>BIO-MICROBICS 800-753-3278</p> <p>CLEARSTREAM, INC. 800-586-3656</p> <p>CLARUS ENVIRONMENTAL 800-928-7867</p> <p>CONSOLIDATED TREATMENT SYSTEMS 937-746-1446</p>	<p>Alliance - Rated at 500, 600, 750, 1000 gpd</p> <p>Cajun Aire - Rated at 500, 750, 1000 gpd</p> <p>Mighty Mac - Rated at 500 gpd</p> <p>AT Models - Rated at 500, 600, 750, 1000, 1500 gpd</p> <p>Models - Rated at 500, 600, 750, 1000, 1500 gpd (concrete, fiberglass, polyethylene tanks)</p> <p>Micro FAST 0.5, 0.625, 0.75, 0.9, 1.0, 1.5 - Rated at 500, 625, 750, 900, 1000, 1500 gpd</p> <p>BioBarrier Membrane Bioreactor 0.5,1.0,1.5 – Rated at 500, 1000, 1500 gpd</p> <p>Models – Rated at 500, 600, 750, 800, 1000, 1200, 1500 gpd</p> <p>FUSION Models - Rated at 450, 600, 800 gpd (Aeration plus fixed media)</p> <p>Enviro-Guard 0.75 – Rated at 750 gpd</p> <p>Multi-flow - Rated at 500 gpd</p> <p>Nyadic M6A - Rated at 500 gpd</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>WASTEWATER TREATMENT UNITS FOR DOMESTIC WASTE</p> <p><u>SUBSURFACE DISPOSAL ONLY</u> (CONTINUED)</p> <p>Note: To be installed only by distributors licensed in Arkansas.</p>	<p>ECOLOGICAL TANK CO. 877-247-7643</p>	<p>Aqua Safe - Rated at 500, 500L, 600, 600L, 750, 750L, 1000, 1000L, 1100L, 1500 gpd “L” is Lo-boy design</p>
	<p>ENVIROGUARD 800-503-0163</p>	<p>ENV-0.75 – Rated for 750 gpd</p>
	<p>HYDRO-ACTION, INC. 800-370-3749</p>	<p>Models - Rated at 500, 900, 1000, 1100, 1500 gpd</p>
	<p>JET, INC. 440-461-2000</p>	<p>Jet-Aire – Models - Rated at 500, 600, 750, 800, 1000, 1250, 1500 gpd</p>
	<p>NORWECO, INC. 419-668-4471</p>	<p>Norweco (Singlair) 960, TNT – Rated for 500,750, 1000, 1250, 1500 gpd, Singlair Green Fiberglass – Rated for 600 gpd</p>
	<p>ORENCO, INC. 800-348-9843</p>	<p>Advantex AX-20, AX-20RT Synthetic media filter treats effluent from septic tank with effluent filter – Rated for 500 gpd</p>
	<p>PREMIER TECH 205-408-9691</p>	<p>Ecoflo Bio-Filter / Septic tank pretreatment / effluent filter recommended</p>
	<p>PRESBY ENVIRONMENTAL 800-473-5298</p>	<p>Enviro-Septic / Single point discharge prior subsurface disposal only</p>
	<p>PURA-FLOW (BORD NA MONA) 501-513-2540</p>	<p>Pre-treat with septic tank equipped with Zabel A-100 filter and dose tank must be 75% capacity of required septic tank</p>
	<p>SOUTHERN MANUFACTURING 800-992-4501</p>	<p>Models - Rated at 500, 600, 750, 1000, 1500 gpd</p>
<p>TEX-AIRE 318-752-3700</p>	<p>Models - Rated at 500, 750, 1000 gpd</p>	
<p>QUANICS, INC. 877-782-6427</p>	<p>AeroCell ATS-SCAT-8-AC-C500 – Rated at 500 gpd</p>	
		<p>Open cell foam media / Models - Rated at 500, 750, 1000, 1250, 1500 gpd</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>WASTEWATER TREATMENT UNITS FOR DOMESTIC WASTE</p> <p><u>SUBSURFACE DISPOSAL ONLY</u> (CONTINUED)</p> <p>Note: To be installed only by distributors licensed in Arkansas.</p>	<p>QUANICS, INC. (Continued) 877-782-6427</p>	<p>Bio-COIR ATS-SCAT-8-BC-C500 - Rated at 500 gpd</p> <p>Coconut husk media / Units - Rated at 500, 750, 1000, 1250, 1500 gpd</p>
<p>WASTEWATER TREATMENT UNITS USING ULTRAVIOLET LIGHT FOR FECAL REDUCTION</p>	<p>BIO-MICROBICS 800-753-3278</p> <p>CONSOLIDATED TREATMENT SYSTEMS 937-746-1446</p> <p>NORWECO, INC. 419-668-4471</p> <p>ORENCO SYSTEMS, INC. 800-348-9843</p> <p>QUANICS, INC. 877-782-6427</p>	<p>Micro FAST 0.5, 0.625 0.75, 0.9, 1.5 – Rated at 500, 625, 750, 900, 1500 gpd</p> <p>BioBarrier Membrane Bioreactor 0.5,1.0,1.5 – Rated at 500, 1000, 1500 gpd</p> <p>Enviro-Guard 0.75 – Rated at 750 gpd</p> <p>Singulair TNT-500 – Rated at 500 gpd</p> <p>Advantex AX-20, AX-20RT – Rated at 500 gpd</p> <p>Aerocell ATS-SCAT-8-AC-C500 – Rated at 500 gpd</p>